

SUBJECT INDEX

- Accretion of the Moon
(chemistry) 419
- Aeronautical Chart and
Information Center
(ACIC) 60
- Age dating 134
 highland rocks 218, 219, 225, 228, 245, 250,
 253, 255, 256
 mare basalts 208, 209
 methods 134, 223
- Agglutinates 288, 296–299, 301, 339, 414
 and siderophile elements 414
 chemistry 299
 description 296
 F³ model 299
 genesis 298
 mineralogy 297
 native Fe in 154
 petrography 298
 physical properties 296
 solar-wind elements in 301
- Akaganeite 150
- Albedo 59, 558, 560, 561
 absorption coefficient 561
 Bond albedo 560
 geometrical albedo 560
 normal albedo 560
 scattering coefficient 561
 single scattering albedo 560
 spherical albedo 560
- Albite 127, 363, 368
- Aldrin, Edwin E., Jr. 27–30
- Alkali anorthosite 228, 381, 398, 399
 high strontium, gallium
 content 399
- Alkali gabbro 370
- Alkali gabbroonorite 230, 368
- Alkali norite 230
- Allan Hills 81005 9, 223, 224, 234
- Alpha particles 56
- Alphonsus Crater 102
- Altai Mountains 117
- Aluminum 363–372, 603
 as a resource 647
 mapping from orbit 603, Plate 10.4
- Ancient regolith 352
- Anorthite 127, 363
- Anorthosite 9, 19, 363, 405, 408, 409,
 453, 458
- Antimatter 47, 52
- Antimony 413
- Apatite 154, 181, 384, 391, 398, 434
 chemical composition 181
- Apennine Bench Formation 114, 622
- Apennine Front 37, 348, 353, 621
- Apennine Mountains 33, 564
- Apennine Scarp 620
- Aphelion 34
- Apogee 57
- Apollo 5, 8, 596–598, 602, 603, 605
- Apollo 11 30, 609, 611–613
 geology 613
 landing site 611, 612
- Apollo 12 610, 614–616
 geology 616
 landing site 614, 615
- Apollo 14 31, 610, 617–619
 geology 619
 landing site 617, 618
- Apollo 15 33, 36, 37, 337, 348, 620–
 622
 geology 622
 heat flow 36, 37
 landing site 620, 621
- Apollo 16 32, 341, 351, 623–625, 631
 geology 625
 landing site 623, 624
- Apollo 17 35, 37, 341, 348, 626–628,
 631
 geology 628
 heat flow 37
 landing site 626, 627
- Apollo command module
 experiments 596
- Apollo Lunar Module (LM) 22, 476
- Apollo Lunar Sample Return
 Containers (ALSRC) 22
- Apollo Lunar Sounder
 Experiment (ALSE) 564
- Apollo Self-Recording
 Penetrometer (SRP) 508, 512, 591
- Apollo Simple Penetrometer
 (ASP) 506
- Apollo sample summary 9
- Apollo samples 8, 21, 22
 bulk sample 22
 contingency sample 21
 cores 22
 documented sample 22
 rake sample 22
 selected sample 22
- Apollo subsatellite
 experiments 596
- Archimedes Crater 114
- Arecibo Observatory 606
- Argon 42, 437–443
- Aristarchus Crater 70, 565
- Aristarchus Plateau 101, 607
- Aristillus Crater 622
 ejecta at Apollo 15 622
- Armalcolite 137, 147, 148, 176
 chemical composition 148, 176
 crystal structure 147, 148
- Armstrong, Neil A. 475

- Astronauts 8, 27, 475
- Astronomy from the Moon 636
- Asuka 31 (unbrecciated cumulate) 9
- Atmosphere 28, 40–45, 439, 440, 445, 635
- ambient “pressure” 635
 - contamination 41
 - gas abundances 45
 - lunar paleoatmosphere 44
 - permanent 45
 - pollution 635
 - scale height 45
- Augite 126
- Autolycus Crater 622
- ejecta at Apollo 15 622
- Avalanches 34, 522
- Baby Ray Crater 624
- Baddeleyite 137, 149, 178
- chemical composition 178
- Basalt 9, 94, 183, 186–202, 205, 206
- aluminous low-Ti basalt 186, 188
 - chemical compositions 186, 187, 261–268
 - classification 186
 - comparison with other planetary basalts 192
 - cooling history 194
 - cooling rates 200, 201
 - crystallization experiments 198
 - experimental petrology 205
 - fractionation trends 187
 - gas phase 201
 - genesis 94, 206
 - high-Ti basalt 186, 187, 195
 - ilmenite basalt 188
 - low-Ti basalt 186, 188, 198
 - melting 206
 - mineralogy 193
 - modal mineral abundances 188
 - olivine basalt 188
 - oxygen partial pressures (fugacities) 193
 - phase relations 206
 - physical properties 186
 - pigeonite basalt 188
 - textures 195
 - trace elements 135, 187
 - very-high-K (VHK) basalt 135, 186, 190
 - very-low-Ti (VLT) basalt 186, 192, 198
 - vesicles 201
 - viscosity 95, 99, 139, 193, 194
- Basaltic volcanism 94, 95, 100, 103, 105, 184, 186, 208, 209
- ages 208
 - area on lunar surface 95
 - distribution of lava 209
 - duration 95
 - “fire fountains” 95
 - fissure vents 103, 105
 - gas phases 105
 - genesis 105
 - landforms 100
 - lava flows 95, 184
 - magma generation 95
 - partial melting 186
 - petrologic models 103
 - pyroclastic deposits 184
 - reflectance spectra 209
- Basins 61, 64, 68, 69, 105, 118
- ages 118
 - basin-forming process 69
 - central peak 64
 - excavation depth 68
 - location 118
 - multiring 64
 - peak-ring 64
 - ring basins 68
 - ring structure 105
 - size 118
- Bean, Alan L. 28–30
- Bear Mountain 627
- Bedrock 33
- Bench Crater 615
- Beryllium 52
- Bessarion Craters 566
- Bidirectional reflectance (optical) 559
- Biogenic elements (hydrogen, carbon, and nitrogen) 443–447
- and soil maturity 445
 - combination with oxygen 447
 - correlations 445, 446
 - from meteoroids 445–447
 - in agglutinates 447
 - surface correlation 447
- Biological Preparation Laboratory 25
- Bistatic radar observations 563
- Block Crater 615
- Bond albedo 560
- Bootprints (astronauts) 498, 635
- Bornite (chemical composition) 179
- Boron 52, 374
- Boulder tracks 499, 589
- Boulders 31–33
- Bowen-Apollo Crater 627
- Breccias 9, 81, 85, 183, 185, 186, 212, 213, 232–235, 241, 242, 252, 257, 285
- chemical composition 213
 - classification 233–235
 - clast-poor 185
 - clast-poor impact melt 252
 - clasts 233
 - components 233
 - crystalline melt 185
 - dimict 186, 235
 - facies 242

- | | | | |
|--------------------------------|-------------------------------|-----------------------------|---------------------------------|
| fragmental | 185 | origin | 254 |
| genesis of | 242 | petrography | 252 |
| glassy melt | 185 | Clasts | 78, 185 |
| granulitic (metamorphic) | 186 | Closed-ecology life support | 635 |
| matrix | 233 | Cobalt | 411 |
| monomict | 81, 185, 213 | Cochise Crater | 627 |
| petrography | 241 | Coesite | 132 |
| polymict | 81, 185, 232, 233, 234, 235 | Cold Cathode Gage | |
| regolith breccias | 186, 257 | experiments | 41 |
| Bridge Crater | 621 | Colors | 30 |
| Briggs, G. A. | 633, 634 | Compressibility | 500 |
| Brightness | 59 | Compressional ridges | 110 |
| Brightness longitude | 29, 59 | Compton Crater | 63 |
| Bronte Crater | 627 | Cone Crater | 32, 237, 381, 572, 618, 619 |
| Brooks Air Force Base | | Cone penetrometer | 589 |
| (BAFB) | 9, 23 | Conon Crater | 620 |
| Bulk density | 484, 490, 492, 572, 573 | Contamination of samples | 8, 24, 406, 443 |
| Bulk density (soil) | 483 | protection from | 24 |
| density vs. depth | 492 | Continuous deposits | 73 |
| in core tubes | 572 | Coordination (mineralogy) | 121 |
| in drill cores | 573 | Copernican Period | 116 |
| | | Copernicus Crater | 34, 63, 114, 566, 602, 610, 614 |
| Cachari meteorite | 408 | Cordillera Mountains | 70 |
| Camelot Crater | 627 | Core samples | 8, 9, 321–342, 487 |
| Canyon Diablo meteorite | 433 | Core tube sampler | 485 |
| Carbochlorination | 647 | Core tube samples (reported | |
| Carbothermal reduction | 648 | vs. actual depth) | 586 |
| Cartography | 60 | Core tubes (bit design) | 486 |
| Cataclysm (cratering) | 83 | Cosmic rays | 49–53, 315 |
| Catena | 60 | Crater degradation | 65 |
| Cayley Formation | 247, 623–625, 631 | Crater frequency | 79 |
| Cayley Plains | 245, 249 | Crater morphometry | 65 |
| Celsius | 127 | Cratering | 85, 86 |
| Center Crater | 618 | flux models | 85, 86 |
| Central peaks of craters | 259 | Craters | 32, 62–85, 108, 115 |
| spectral properties | 259 | ages | 85 |
| Chalcophile | 358 | apparent | 68 |
| Chalcopyrite | 151, 179 | breccia lens | 81 |
| chemical composition | 179 | central peaks | 61, 68 |
| Chemical statistics (cautions, | | complex | 61, 68 |
| data limitations) | 361 | cross-sections | 81 |
| Chemistry | 357–474 | degradation | 65, 115 |
| chemistry of soil size | 344, 347, 349, 385, 391, 398, | densities | 83, 84 |
| fractions | 413, 440 | ejecta | 66 |
| contamination | 443 | excavation cavity | 66 |
| guide to individual element | | history | 92 |
| discussions | 360 | isostatic adjustment | 108 |
| reliability of data | 361, 390, 400, 403, 432, 443 | mechanics | 65 |
| replicate analyses | 403 | melt zone | 78 |
| sample size limitations | 403 | microcraters | 82 |
| statistical summaries | 449–474 | morphometry | 65, 66 |
| Chondrites | 359, 379, 404 | pit craters | 87 |
| iridium content | 404 | population | 88 |
| REE concentrations | 379 | processes | 61, 65, 68 |
| Chromite | 397, 399 | production rates | 84 |
| as an ore | 399 | relative age dating | 83 |
| Cinco Crater | 624 | secondary | 7, 71, 73 |
| Cinder cones | 101 | shapes | 65 |
| Clast-poor impact melt | 252–254 | simple | 61, 67 |
| ages | 253 | size-frequency distribution | 82 |
| chemistry | 252 | | |

slope angles	32	mechanics	485
spall zone	87	Dune Crater	621
spectral properties	258	Dunite	185, 365, 368–370, 378, 395, 396, 398, 405, 406, 408, 409, 411, 412
transient cavity	66	REE pattern	378
true	68	Duricrust	492, 493
Crisium Basin	605, 628, 630, 631	Dust	34, 478
ejecta at Apollo 17	628	adhesion	34
ejecta at Luna landing	630	Earth-based telescopic data	
Cristobalite	132, 217	(see Observation of the	
Crust	15, 17, 92, 93, 212, 609	Moon from Earth)	596
cross-section	93	Earthlight Crater	621
fracturing	92	Earth-Moon distance	634
mineralogy	609	Earthshine	29
origin	15	Ecliptic	58
velocity structure	92	Ejecta	66, 70, 71, 73, 85, 92, 94
Crystal growth from magma	200	composition	94
Crystal nucleation	200	continuous	73
Crystalline melt breccias		curtain	71
(impact melt breccias)	249–252	deposits	71
ages	250	diameter of blocks	73
modal analysis	250	lateral mass transport	92
texture	250	lunar meteorites	92
Cubanite	151, 179	primary	71
chemical composition	179	processes	71
Cumulate texture	223	radial distance from crater	73
Curation history	25	rays	73
Dark-haloed craters	101, 102	sampling lunar crust	94
Defense Mapping Agency	597	secondary	71
Density (bulk Moon)	28, 362	stratigraphic units	85
Density (of soil) (see relative		thickness	73
density)	496	trajectories	73
Depth perception	29	Elastic scattering	53
Descartes Crater	631	Elbow Crater	351, 621
Descartes Formation	245, 254, 623–625, 631	Electrical and	
Descartes Highlands	32, 253, 623	electromagnetic	
Deslambre Crater	623	properties	530–558
Deuterium	436, 447	DC conductivity	531, 532
Diaplectic feldspar glass	74	dielectric permittivity	536
Diaplectic glasses	76	dielectric properties	581
Dielectric permittivity	536, 549	electrical conductivities	531
as a function of frequency	549	electrostatic charging	532
increase with stress		loss tangent	531, 545, 550
(density)	549	photoconductivity	532
Dielectric properties	581	temperature dependence	545
Differentiation (of the Moon)	15	Electrical conductivity	531
Differentiation (planetary,		Electromagnetic sounding	552, 554, 556
chemical)	362	Hagfors RMS slope	554
Dimict breccia	256–257	radar cross-section	554
Diopside	363	scattering from the Moon	556
Dolerite	9	volume scattering	554
Dorsa	60	Electron spin resonance	129
Double Crater	612	Electrostatic charging and	
Doublet Craters	618	dust migration	532
Drill core	9	Elephant Moraine 87521	9
Drill core samples	587	Elevation measurements	
sample depth vs. actual		(radar)	565
depth	587	Emory Crater	627
Drill cores (mechanics)	485	Emsland iron meteorite	408
Drive tubes	8, 9		

- End Crater 624
- Energy consumption
(astronauts) 28
- Engineering problems 475
- Enstatite 125, 363, 368
- Environment 34, 44, 635
fragility 635
human impact 34, 44
- Equation of state 74
- Equivalent surface area ratio
(ESAR) 481
- Eratosthenes Crater 114
- Eratosthenian Period 116
- Erosion 87
- Escape velocity 28
- Eucritic meteorites 408
- Europium anomalies 18, 188
- Explorer 46, 564
meteoroid data 46
- Exposure age parameters 338, 339
- Exposure ages 56, 316, 307, 343
- Exsolution 126, 129
- Extinction (impact
hypothesis) 638
- Falling (astronauts) 28
- Farringtonite 228
- Fault scarps 34
- Fault systems 108
- Fayalite 130, 363
- Fecunditatis Basin 630
ejecta at Luna landing
sites 630
- Feldspar (see Plagioclase
feldspar, Potassium
feldspar) 137
- Felsite 132, 135, 230, 368
- Ferroan anorthosite 13, 16, 18, 185, 220, 221,
378, 396, 608
“genesis rock” 221
REE pattern 378
texture 221
- Ferrophile 391, 395, 398
tendencies of cobalt and
nickel to be ferrophile 398
- Ferrosilite 125, 363, 368
- Fission tracks 134
- Flag Crater 624
- Flank Crater 618
- Forsterite 130, 363
- Fractional crystallization 208
- Fractionation of magma 21, 187
- Fragmental breccias 235, 237, 244, 245
ages 245
chemistry 237
clast types 244
origins 245
petrography 237
- Fra Mauro basalt 214
- Fra Mauro Crater 610, 617
- Fra Mauro Formation 31, 617, 619
- Fused soil component 288
- Future exploration 636
- Future research (outstanding
questions) 636, 637
- Gabbro 185, 365
- Galactic-cosmic-ray history 356
- Galactic cosmic rays (GCR) 47, 51–55, 310
cascade effects 54
depth of penetration 55
energy 52
flux 52, 53
interstellar 53
isotropy 52
modulation 52, 53
penetration 53, 54
protons 51, 53
secondary radiation 54
spallation 52
- Gamma rays 47, 53, 56
remote mapping 56
- Gamma-ray spectrometry 602, 608
- Gardening (regolith) 87–89, 337, 342, 343
- Gas adsorption (rocks, soil) 41
- Gas condensation (lunar
surface) 42
- Gas losses (thermal,
ionization) 42, 44, 45
- Gassendi Crater 638
- Gator Crater 624
- Geikielite 140
- Geography 60
- Geology of landing sites 609–632
- Geometrical albedo 560
- Geophysical data 603
- Geotechnical properties 475
- Germanium 409
- Glass particles 100–102, 202–205, 303
surface coatings 268, 303, 427–430
- Glassy melt breccias 246, 247
ages 247
origin 247
texture 247
- Global data (limitations) 595
- Global stress field 108
- Gnomon 22
- Gold 406
- Grabens 108, 109
- Granite 132, 230, 232, 365, 368, 381,
391, 395, 396, 412
ages 232
cobalt-aluminum content 412
- Granulites 92, 254, 255
- Granulitic breccia 254, 255
ages 255
chemical composition 254
chemistry 255
origin 255
petrography 255
texture 254
- Gravity 27, 28, 139

Gravity anomalies	603	Imbrium Basin	32, 103, 114, 117, 245, 605, 610, 616, 617, 619, 620, 622, 625, 631
Gravity field	603	ejecta at Apollo 11	616
Green glass	101, 102, 202–205, 610, 622	ejecta at Apollo 14	619
Grimaldi Crater	638	ejecta at Apollo 15	622
Ground level enhancement (GLE)	48, 52	ejecta at Apollo 16	625, 631
Ground-penetrating radar	530	maria	103
H-phase (seismology)	40	Impact	61
Hadley Delta	33, 37, 621, 622	Impact basins (map of)	12
Hadley Rille	33, 37, 100, 348, 353, 610, 620, 621	Impact destruction of surface rocks	88
Hagfors RMS slope	554	Impact-glass beads	302
Halfway Crater	624	Impact glasses	246, 302
Halo Crater	615	chemistry	246
Halogens	434	distinction from volcanic glasses	246
Hansteen Crater	564	petrography	246
Head Crater	615, 616	texture	246
Heat flow	28, 36–38	Impact melt	73–80, 83
Heat flow probes	36, 37	Impact melt breccia	
Heat retention (regolith)	566	(crystalline melt breccia)	249, 250
Hedenbergite	363	Impact melt rocks	233, 285
Heiligenschein	559	age	83
Helium	42, 505	chemical composition	79
Helium-3	448, 637	distinction between impact melts and igneous rocks	78
Hess-Apollo Crater	627	sheets	78
Highland compositions (Mg-Fe ratios)	366	Impact processes	61, 62, 85–87, 108, 311
Highland monomict rocks	213, 361	abrasion	86, 87
Highland pristine rocks	184, 212–232	collisional fragmentation	86, 87
Highlands	10, 11	energy	62
Historic meteoroid impacts	597	erosion	86, 87
History (lunar)	61, 115–120	impact velocities	62
Horatio Crater	627	production of new particles	311
Hugoniot Elastic Limit	76	regolith formation	311
Humboldt Crater	113, 638	shock induration	311
Hydrogen	42, 436–448	vapor fractionation	311
as a resource	647, 648	Impact structures	61–64
Hydrogen reduction	648	morphologic elements	64
Hydrothermal fluids	406	Inclination (Moon)	28
Ice	40	Incompatible trace elements	17, 372–390
Igneous highland rocks	185, 228, 230	abundances	372
alkali anorthosite	228	and KREEP	372
alkali gabbroanorthite	230	concentration in rare minerals	383
alkali norite	230	correlations in general	379
felsites	230	correlations in highland materials	381
ferroan anorthosite	185	correlations in mare basalt	386, 387
granite	228	partitioning	372
KREEP rocks	185	Index Crater	621
Mg-rich rocks	185	Inner Rook Mountains	105
Ilmenite	137, 140, 141, 171, 363, 441, 445	Instrumental neutron activation analysis (INAA)	403
as a source of oxygen	141	Integrated mass depth	493
chemical composition	140, 171	Internal forces	111
crystal structure	140	contraction	111
helium retention	445	thermal stress	111
high helium and neon content in soil	441		
Imbrian Period	117		

- International Astronomical Union 60
- Ionization (of atmosphere) 44
- Ionization (of regolith) 53
- Ionization chambers 47
- Ionizing radiation 315
- Iridium 404
- Iron 363–372, 413, 603
- as a resource 648
 - as a siderophile element 413
 - chemical composition 151, 180
 - iron metal 138, 151–154, 180, 371
 - mapping from orbit 603, Plate 10.2
 - valence 128, 129
- I_s/FeO 315, 319–343
- Isotopes 415, 428, 430, 433, 436, 437, 439, 447
- helium 436
 - hydrogen 436
 - lead 428, 430, 638
 - nitrogen 447
 - noble gases 437
 - oxygen 311–313
 - polonium 638
 - plutonium 439
 - radon 638
 - silicon 311–313
 - strontium-rubidium 415
 - sulfur 433
 - thorium 430
 - uranium 430, 439
- Isotopic compositions (lunar soils) 311–313
- Janssen Formation 117
- Johnson Space Center (JSC) 9, 23
- Johnston compositional prism 143
- Juvinas meteorite 408
- Kamacite 151, 399
- Kiva Crater 624
- KREEP 16, 18, 19, 218, 220, 306, 378–380, 409, 608, 610
- abundance 220
 - age 218
 - and germanium 409
 - chemical definition 218, 380
 - KREEP rocks 15, 185, 216–220
 - REE concentrations 379
 - REE pattern 378
 - urKREEP 19
- Lacus (definition) 60
- Lagrange points 636
- Lakangaon meteorite 408
- Lalande Crater 63
- Landslides 39
- Langrenus Crater 629
- Lansberg Crater 614
- Lara Crater 627
- Last Crater 621
- Lava flows 33, 95, 98, 99, 186
- area 95
 - flux 99
 - lava tubes 101, 186
 - length 95
 - thickness 95, 99
 - viscosity 95, 99
- Lava terraces 101
- Lava tubes 101, 186
- Law of Superposition 111
- Lawrencite 150, 430, 447
- Leaching (of halogens) 434
- Le Monnier Crater 626
- Leuconorite 365
- Libration 58, 59
- diurnal 59
 - latitudinal 58, 59
 - longitudinal 58
- Life (absence of) 26, 634
- Lithium 52
- Lithophile 358
- Little West Crater 612
- Littrow Crater 626
- Lunar Crater 79
- Loss tangent 536–552, 581–584
- Low-K Fra Mauro (LKFM) 19, 250, 622, 625
- Luna 3 11
- Luna 16 630
- Luna 16 basalt 398
- high strontium concentrations 398
- Luna 20 630
- Luna 24 630
- Luna landing sites 629–631
- geology 630
- Luna missions 5, 7, 10, 23, 25, 483
- Luna samples 23, 25
- Lunar Atmospheric Composition Experiment (LACE) 41
- Lunar bases 640–643
- Lunar “dust storms” 536
- Lunar ejecta and meteorites experiment (LEAM) 536
- Lunar exploration 5–7
- history 7
- Lunar farside 11
- Lunar geologic mapping 114
- Lunar grid system 111
- Lunar highlands 10, 11, 92
- Lunar history 83–85, 111–120, 609–632
- Lunar interior (electrical, thermal properties) 533
- Lunar landing sites (map) 6
- Lunar magmatic evolution 19
- Lunar meteorites 6, 9, 23, 92, 394
- iron/manganese test of origin 394
- Lunar minerals 121–181, 298, 320
- apatite 122, 154

- | | | | |
|----------------------------|-------------------------------|------------------------------|------------------------------|
| armalcolite | 122, 137, 147–150 | spectral properties | 307 |
| baddeleyite | 137 | stratigraphy | 323 |
| chalcopyrite | 151 | surface exposure | 315 |
| chemical composition | 155–181 | surface exposure age | 307 |
| chromite | 122 | thickness | 305 |
| cohenite | 122 | Lunar rock erosion | 86 |
| comparison with minerals | | Lunar rocks | 183–284 |
| of the Earth | 135–137, 139 | chemical composition | 261–284 |
| cubanite | 151 | classification | 184 |
| definition (mineral) | 121 | igneous | 184 |
| endmember (definition) | 121 | pristine | 184 |
| hercynite | 122 | Lunar Roving Vehicle (LRV) | 5, 32, 522–530, 610, 627 |
| ilmenite | 122, 137, 140 | Lunar Sample Building | 23 |
| kamacite | 151 | Lunar sample curation | 10, 23, 24 |
| mackinawite | 151 | Lunar Sample Data Base | |
| metallic iron | 151–154, 298, 320 | (LSDB) | 25 |
| meteoritic contamination | 151 | Lunar sample identification | 8 |
| native iron | 122, 151 | Lunar sample numbering | 10 |
| niningerite | 122 | Lunar Sample Preliminary | |
| olivine | 130–132 | Examination Team | |
| oxides | 137–150, 178 | (ISPET) | 8, 22 |
| pentlandite | 151 | Lunar sample records | 24 |
| phosphate minerals | 154, 155 | Lunar samples | 6–10 |
| plagioclase feldspar | 122, 126–129, 163, 165, 385 | Lunar soil | 88–92, 287–307, 475–482 |
| potassium feldspar | 133, 135 | agglutinates | 288, 296, 299, 301, 339, 414 |
| proportions in soils | 123 | chemical composition | 306, 314, 331–352, 449–474 |
| pyroxene | 122, 123–126 | components | 294, 302 |
| pyroxferroite | 133, 134 | definition | 287 |
| rutile | 137 | density | 483–500, 572–574, 588, 589 |
| schreibersite | 122 | description | 287 |
| silica minerals | 132 | erosion of particles | 304 |
| sphalerite | 151 | fused soil component | 288 |
| spinels | 122, 137, 143–147 | glass beads | 302 |
| sulfide minerals | 150 | grain shapes | 304, 478–481, 569, 570, 585 |
| taenite | 151 | grain size | 304, 477, 478, 567, 568 |
| tranquillityite | 133 | grain surfaces and | |
| troilite | 122, 150 | coatings | 304 |
| ulvöspinel | 122 | maturity | 294, 307–321 |
| whitlockite | 122, 154 | modal analyses | 123, 289–296 |
| yoshiokaite | 123 | particles | 304 |
| zircon | 134 | petrography | 288, 295 |
| zirconolite | 137 | volatile elements | 314, 414–436 |
| Lunar module (LM) | 22 | Lunar stratigraphy | 111–120 |
| exhaust gases | 41, 42 | Lunar Topographic | |
| footpads (regolith | | Orthophotomap series | 597 |
| compression) | 518 | Lunar transient events | 532, 638 |
| Lunar month | 58 | polonium | 638 |
| Lunar motorcycle | 524, 525 | radon | 638 |
| Lunar Observer | 19, 595, 639 | Lunar utilization (annotated | |
| Lunar Orbiter | 5, 46, 60, 596, 597, 603, 604 | bibliography) | 644–646 |
| Lunar Orbiter 4 | 39, 598 | Lunar vehicles | 32, 483, 499, 510–512, |
| meteoroid data | 46 | | 522–530 |
| photographic data | 597 | Apollo Lunar Roving | |
| Lunar Receiving Laboratory | | Vehicle (LRV) | 5, 32, 522–530, 610, 627 |
| (LRL) | 8, 25, 443 | design | 526 |
| Lunar regolith | 285–356 | future design | 529 |
| evolution | 307 | lunar motorcycle | 524, 525 |
| grain size | 323 | Lunokhod | 483, 510–512, 523, 589 |
| maturity | 305, 307, 315, 323 | Modularized Equipment | |
| physical properties | 475–594 | Transporter (MET) | 523 |
| pre-Apollo models | 476 | performance | 524, 526 |

- tracks 499
 trafficability parameters 526
 Lunokhod 483, 510–512, 523, 589
- MacAlpine Hills 88104 9
 MacAlpine Hills 88105 9
 Mackin-Apollo Crater 627
 Mackinawite 151
 Magma 138, 139
 crystal settling 138
 viscosity 95, 99, 139, 193
 Magma ocean 15, 16, 184, 224
 Magnesium 363–372, 602, 603
 mapping from orbit 602, 603, Plate 10.5
 Magnesium-rich rocks 14, 19, 185, 225–228
 Magnetic anomalies 604, 605
 Magnetic field 28, 604, 605, Plate 10.6
 Magnetotail (Earth's) 47
 Major elements 363–372
 abundances and correlations 366
 abundances ranked by volume 363
 abundances ranked by weight 363
 ores 371
 Mandel'shtam Scarp 113
 Manicouagan Crater 79
 Manned Spacecraft Center (MSC) 25
 Mantle compositions 386
 Maps 60, 604, 607–609, Plate 10.7, Plate 10.8, Plate 10.10, Plate 10.11
 geologic 609, Plate 10.10
 gravity field 604
 magnetic field Plate 10.6
 mare basalts 607, Plate 10.7
 petrologic (Th/Ti vs. Fe) 608, Plate 10.8
 Mare (see Maria)
 Mare basalt 17, 18, 94–107, 140, 186–212, 608, Plate 10.7
 age range by remote sensing 609, Plate 10.11
 chemical data 261–268, 359, 449–472
 mineralogy 140, 188, 193–195
 sampled and unsampled types 608
 source areas 17, 18, 205–208, 386
 Mare basin (definition) 95
 Mare Crisium 11, 557, 564, 565, 606, 629, 630, 632
 Mare domes 101
 Mare Fecunditatis 398, 629, 631
 Mare Humboldtianum 60
 Mare Imbrium 98, 380, 604, 606, 620
 Mare Orientale 105, 597
 Mare Serenitatis 100, 107, 565, 598, 604, 606, 620, 626
 Mare Smythii 60
 Mare Tranquillitatis 606, 611, 629
- Maria 10, 11, 95–107
 age of lava (known) 208, 209
 age of lava (suspected) 99
 area 105
 composition 95, 359, 261–268, 449–472
 definition 95
 history 102, 103
 hypotheses for origin 95
 lava filling 95, 102
 “mascons” 107
 origin of term 60
 structure 103
 thickness 97, 103, 105
 volcanic eruptions 103
 volume of lava 105
 Marius Hills 100, 101
 Mascons 107, 111, 603, 604
 Mass (Moon) 28
 Mass wasting 33
 Maturation (of lunar regolith) 294, 307–321
 Maturity indices 317–321, 331, 332, 336–344
 agglutinates 288, 296–299, 319
 grain size 318, 319, 321, 344
 I_s/FeO 298, 315, 319–343
 particle track index 315–317, 319, 337–342
 solar wind 315, 319, 337–342
 Maunder Minimum 53, 56
 Megaregolith 92, 212, 286
 Mercury (Hg) 432
 as a surface-exposure index 432
 mobility due to daily heating 432
 Mesostasis 366, 372, 373
 sodium enrichment 366
 Metamict 134
 Meteorite (definition) 46, 358
 Meteorites (chemistry) 358
 Meteorite Working Group 23
 Meteoroids 83, 85
 bombardment 45–47, 62–94, 310–315
 definition 46, 358
 hazards 46, 47
 impact frequency 39, 41, 79–85
 intermixture in lunar samples 151, 404–413, 419, 421
 micrometeoroids 45, 61
 showers 39
 size/mass distribution 46, 61, 81–83
 variation in composition with time 420
 velocities 46, 62
 Metric mapping camera 597
 Middle Crescent Crater 615
 Mineralogy (see also Lunar Minerals) 121–181
 remote sensing 608
 Miscellaneous minor elements 390–399
 correlations 391, 394
 in major minerals 394

- | | | | |
|---|------------------------------|------------------------------------|---|
| partitioning | 394 | North Ray Crater | 237, 245, 247, 249, 361, 624, 625 |
| Mösting A Crater | 60 | North Triplet Crater | 572 |
| Mösting C Crater | 211 | Nuclear particle effects | 310 |
| Moderate-titanium high-aluminum maria | 630 | Nuclear reactions | 53, 315 |
| Modularized Equipment Storage Assembly (MESA) | 22 | Observation of the Moon from Earth | 34, 36, 60, 558–566, 595–597, 599–605 |
| Modularized Equipment Transporter (MET) | 523 | Obstacles to travel | 32–34 |
| Moltke Crater | 63, 611 | boulders | 32 |
| Molybdenum | 401, 411 | rilles | 33 |
| Moment of inertia (Moon) | 28 | Oceanus (definition) | 60 |
| Monazite | 372 | Oceanus Procellarum | 31, 564, 602, 606, 608, 610, 614 |
| Monomict breccias | 81, 185, 213, 358, 400 | Oedometer test | 501, 502 |
| Mons (definition) | 60 | definition | 501 |
| Monte Carlo technique | 86, 342 | Olivine | 130–132, 137, 166–168, 363 |
| Montes d'Alembert | 60 | chemical composition | 130, 166–168 |
| Montes Harbinger | 60 | crystal structure | 130 |
| Montes Leibnitz | 60 | Opposition effect (optical) | 559 |
| Moonquakes | 39, 108, 109 | Optical astronomy | 558–561 |
| Morozov Scarp | 113 | albedo | 560 |
| Morphometry (craters) | 65, 609 | phase angle (optical) | 29, 59, 558 |
| Mounds | 31 | phase plane (optical) | 29, 558 |
| Mount Hadley | 33, 620 | photometric function | 558–559 |
| Mount La Hire | 98 | polarization | 561 |
| Mountains of perpetual light | 40 | single scattering albedo | 560 |
| Mountains (slope angles) | 32, 33 | Orange soils | 102, 184, 202–205, 427–430 |
| Multispectral images | 601, 602 | Orbital gamma-ray data | 602 |
| resolution | 601 | Orbital gravity data | 603 |
| vidicon imaging | 601 | Orbital magnetic data | 605 |
| Multispectral maps | Plate 10.7 | Orbital photography | 597, 599, 600 |
| Muons | 47, 54 | coverage | 600 |
| | | panoramic camera | 597 |
| Naming lunar features | 60 | resolution | 600 |
| Nansen-Apollo Crater | 627 | stereo photos from orbit | 598 |
| NASA planetary data centers | xix, 596 | Orbital plane (Moon) | 58 |
| National Space Science Data Center | xix, 599 | Orbital X-ray fluorescence data | 603 |
| Native iron | 138, 151–154, 180, 371 | Ores | 138, 371, 385, 388, 398, 414, 435, 448, 647–649 |
| chemical composition | 151, 180 | Oriente Basin | 69, 70, 103, 105, 117, 606 |
| distribution in lunar rocks | 152 | maria within | 103 |
| genesis | 154 | Origin of the Moon | 13, 14, 361–363 |
| Navigation | 29 | collision hypothesis | 14 |
| Nectarian Period | 117 | Osmium | 408 |
| Nectaris Basin | 245, 257, 623, 625, 631 | Outcrop (in craters) | 566, Plate 10.9 |
| ejecta at Apollo 16 | 625, 631 | Outcrop (in rilles) | 32, 33 |
| Nectaris Highlands | 611 | Outer Rook Mountains | 105 |
| Neon (in lunar atmosphere) | 42, 43 | Oxide minerals | 137–150, 178 |
| Nested crater hypothesis | 68 | chemical composition | 138, 178 |
| Neutron capture | 53 | crystal structure | 138 |
| Neutrons in galactic cosmic rays (GCR) | 55 | petrogenesis | 138 |
| Nickel | 411 | Oxygen (as a resource) | 637, 648, 649 |
| Noble gases | 437–443 | Palladium | 409 |
| isotopic ratios | 437 | Palmetto Crater | 624 |
| Norite | 185, 363, 368, 380, 453, 608 | Palus (definition) | 60 |
| Normal albedo | 560 | Palus Putredinis | 610, 621 |
| Normal faulting | 111 | Palus Somni | 564 |
| North Crater | 618 | Particle shapes (soil) | 478–481, 569–571, 585 |
| North Massif (Apollo 17) | 348, 627, 628 | aspect ratio | 479, 570 |

- elongation 479, 569
- Fourier analyses 479, 585
- roundness 479, 570
- specific surface area 479, 571
- volume coefficient 479
- Particle size distributions (soil) 477, 478, 567, 568
- Particle tracks (radiation) 315, 316, 441
- Partition coefficient 373
- Partitioning (chemical) 373, 394, 400, 411
 - incompatible trace elements 373
 - miscellaneous minor elements 394
 - nickel 411
 - siderophile elements 400
- Pentlandite 151
- Perigee 57
- Perihelion 34
- Phase angle 29, 59
- Phase plane 29
- Phases of the Moon 57
- Phi (ϕ) scale (grain size) 304–306, 477, 478
 - definition 477, 478
- Phosphate minerals 154, 155, 181
 - chemical compositions 181
- Photoconductivity 532, 534
- Photography (color-difference) 601
- Photometric function 558–560
- Pigeonite 126, 198, 225
- Pions 53, 54, 55
- Piton B Crater 211
- Plagioclase feldspar 126, 127, 385
 - and calcium separation 385
 - chemical composition 127, 163–165
 - crystal structure 126
- Plagiophile (terminology) 398
- Planetary Materials Laboratory (PML) 21, 23
- Planetary separation processes 361
- Planetary vs. platform science 636
- Plasma (solar wind) 48, 436, 437
- Platinum 408
- Pleonaste 147
- Polar cap absorption (PCA) 47
- Polar environment 39
- Polarization 561, 562
 - azimuth 561
 - degree 561
- Polymict breccias 81, 185, 232–257, 358, 400
 - chemical data 277–284, 449–474
 - nomenclature 233–235
- Porosity of lunar soil 481–483, 492, 496
 - intergranular 481
 - intragranular 481, 496
 - subgranular 481
- Potassium feldspar 127, 135, 385
 - and barium separation 385
 - celsian 135
 - chemical composition 135
 - crystal structure 135
- Powell Crater 627
- Pre-Nectarian Period 117
- Primary magmas 208
- Pristine igneous highland rocks 212–232
 - ages 229
 - alkali anorthosite 214
 - anorthosite/norite/troctolite (ANT) 214
 - classification 214–216
 - ferroan anorthosite 214
 - “Fra Mauro basalt” 214
 - granite 214
 - “highland basalt” 214
 - KREEP 214
 - Mg-rich rocks 214
 - modal data 217, 224, 229, 230
 - pyroxene compositions in 225
- Pristine (relation to monomict) 185
- Pristine (sample handling) 8, 9, 24
- Pristine (sample origins) 152, 184, 213, 358, 400
 - definition 213
- Promontorium (definition) 60
- Propellant production 637, 640, 647–649
- Protons (ionizing radiation) 48–56
- Pseudotachylite 256
- Pyrochlore 228
- Pyroclastic deposits 95, 101, 102, 202–205, 210, 325, 366, 398, 427–430, 434, 608
 - chemical composition 264–268, 427–430
 - comparison with soils 366
 - cooling rates 203
 - distribution 210
 - gas phase 202, 205, 427–430
 - green glass 102, 202–205, 427–430
 - “lava fountaining” 105
 - orange glass 102, 184, 202–205, 427–430
 - recognition 202
 - reflectance spectra 210
 - remote sensing 608
 - strontium, gallium concentrations 398
 - textures 203
- Pyroxene 123–126, 135, 157–162, 363
 - chemical composition 125, 157–162
 - crystal structure 123
- Pyroxferroite 130, 134
 - composition 134, 169
 - crystal structure 134
- Q (seismic) 39, 516, 517
- Quarantine (lunar samples) 25
- Quartz 132, 217, 230
- Quartz monzodiorite 221, 368, 370, 381, 425

- Radar 530, 552–558, 562–566, 605–607
- Radar astronomy 562–564, 605–607
- Apollo Lunar Sounder Experiment (ALSE) 564
- bistatic radar observation 563
- diffuse component 563
- penetration 562
- polarization 562
- scattering function 562
- subradar point 562
- Radar backscattering 562
- Radar cross-section 554, 563
- Radar data (Earth-based) 605–607
- crater features 605
- pyroclastic deposits 605
- Radar data (orbital) 564–566
- Radar images 606, 607
- Radar maps 557–558
- Radar scattering 557
- Radiation (ionizing) 47–56, 310, 315–317
- cascade 53
- crystal defects 54, 315–317
- damage by 315–317
- doses 55
- effects 56, 315–317
- elastic scattering 53
- energy 47, 48, 310, 315–317
- exposure ages 56, 87, 88
- hazards 51, 52, 56
- neutron capture 53
- particle tracks 316
- particles 48
- penetration 48, 56, 310
- radionuclide production 310
- secondary radiation 53–55
- shielding 52
- spallation 53
- Radiation damage 54, 315–317
- Radiation energy 47, 315–317
- Radiation from the Moon 558–566
- Radio communications 531
- Radiochemical neutron activation analysis (RNAA) 403
- Radius (Moon) 28
- Ranger 5, 596
- Rare earth elements (REE) 18, 190, 191, 204, 220, 231, 242, 243, 372–390
- Rarefaction waves 65
- Ravine Crater 624
- Recompression index 504
- Reflection and emission of radiation 558–566
- Regolith 87–92, 285–356, 475
- antiquity vs. maturity 355
- as a resource 649
- as construction material 286
- chemical composition 329, 334, 344
- chemical variation between sites 351
- chemical variation within sites 345
- comparison of soil composition with rock composition 345
- definition 285
- depth variation 321
- differential comminution 344
- dynamics 342
- evolution 88–90
- gardening 87–89, 337, 342, 343
- gas absorption 443
- gas adsorption 41, 443
- gas release on crushing 447
- grain size 318, 343
- KREEP 345
- mass wasting 89
- maturity 294, 317, 318, 332, 338
- mercury (Hg) as exposure index 432
- meteoroid content 405
- mixing 332
- models 87
- models for formation 342
- Monte Carlo models 88
- path I, path II 321
- petrography 329, 334
- processes 321, 337, 342.
- processes of regolith formation 285
- pyrolysis 447
- radiation history 354
- seismic properties 288, 516, 517
- solar-wind retention 441–443
- sorting 321
- stratigraphy 321, 325, 337
- surface exposure ages 338
- thickness 89, 90, 91, 92, 286
- variation with depth 325–336
- Regolith breccias 257, 354–361
- Reiner Gamma 605
- Relative density (soil) 476, 494–500, 574, 588, 589
- Remote sensing 552–566, 599–607
- Resources 138, 141, 154, 186, 414, 636, 644–649
- aluminum 647
- annotated bibliography 644–646
- carbonyl processing of FeNi 414
- for use in space 636
- for use on Earth 636
- from mare basalt 186
- helium-3 647
- hydrogen 647
- ilmenite 648
- iron 648
- iron metal 154
- oxygen 138, 141, 648
- plagioclase 647
- regolith 649
- Revolution of the Moon 57

- Rhenium 408
- Rhodium 409
- Rhysling Crater 621
- Ridges 32
- Ries Crater 79, 92
- Rilles 33, 99, 101, 113
 - hypotheses of origin 101
 - sinuous 99
 - slope angles 33
- Rima (definition) 60
- Rima Hadley 621
- Ring basins 68
- Ritter Crater 611
- Rock types (summary) 156, 184–186, 359–361
- Rook Mountains 70
- Ropy glasses 302
- Rotation of the Moon 58
- Roughness of lunar surface
 - and trafficability 30–34, 526–530
- Rugosity 479, 569
- Ruthenium 409
- Rutile 137, 149, 178
 - chemical composition 178
- Sabine Crater 611
- Saint George Crater 621
- Sampling history (Apollo) 21
- Schlieren 74, 78, 202
- Schreibersite 150, 391
- Schrödinger Crater 63
- Schröter's Valley 607
- Schwantke molecule 128
- Scott, David R. 28, 633
- Sculptured Hills 348, 627, 628
- Secondary craters 33
- Secondary particles 53
- Seismic activity 38, 41
- Seismic attenuation (Q) 39, 516, 517
- Seismic energy 28, 108
 - of impacts 108
- Seismic experiments 38, 41
- Seismic properties (regolith) 288, 516, 517
- Seismic velocities (regolith) 288
- Seismograms 40
- Selenodesy 60
- Self-Recording Penetrometer (SRP) 508, 512, 591
- Serenitatis Basin 103, 107, 622, 628, 631
 - ejecta at Apollo 15 622
 - ejecta at Apollo 17 628
 - maria 103
- Serial magmatism 17, 18
- Shadows 30, 36
- Shakespeare Crater 627
- Shape complexity factor 570
- Sharp-Apollo Crater 615
- Shear strength 506–516
- Sherlock Crater 627
- Shock melting 73–79
- Shock metamorphism 73–79
 - effects on minerals and rocks 74
 - energy 73
 - fracturing 76
 - pressures 73, 74, 77
 - regolith 77
 - rocks 77
 - schlieren 74
 - shatter cones 76
 - shock lamellae 74
 - temperatures 73
- Shock pressure attenuation 74
- Shock vaporization 73, 302, 424
- Shock waves 65
- Shocked minerals 302
- Shorty Crater 102, 427, 428, 627, 628
- Sidereal month 57
- Sidereal rotation 28
- Siderophile elements 358, 399–414
 - analytical difficulties 400
 - correlations 406
 - data limitations 403
 - partitioning 399
- Silica minerals 132, 215, 229, 230
 - chemical composition 132, 169
 - coesite 132
 - crystal structures 132
 - quartz 132, 217, 230
 - stishovite 132
 - tridymite 132
- Silicon 603
 - mapping from orbit 603, Plate 10.4, Plate 10.5
- Sinuuous rilles 99
- Sinus (definition) 60
- Sirsalis Rille 112
- Skaergaard intrusion 225
- Slope stability 39, 521, 522
 - constructed slopes 521
 - dumped soil 521
 - excavations 521
 - factor of safety 522
 - natural slopes 522
- Smithsonian Institution 23
- Smoky Mountain 32, 351, 624, 625
- S/N (serial number of core tubes) 572
- Soft soil (trafficability) 499, 529
- Soil (definition; also see Regolith) 287–307, 475
- Soil bearing capacity 517–521, 590–594
 - allowable bearing capacity (dynamic) 520
 - allowable bearing capacity (static) 519
 - penetrometer measurements 590–594, 578–580
 - settlement depths 520
 - ultimate bearing capacity (dynamic) 518

- | | | | |
|--|-------------------------------------|---------------------------------|---------------------------------|
| ultimate bearing capacity (static) | 517 | Spectral properties | 209–211, 257–260, 307, 608, 609 |
| Soil compressibility | 500–506, 575–577 | highland rocks | 257–260 |
| coefficient of lateral stress | 506 | mare basalts | 209–211 |
| compression index | 501 | regolith | 307 |
| gas release | 505 | Sphalerite | 151, 179, 434 |
| maximum past pressure | 504 | chemical composition | 179 |
| oedometer data | 575, 576 | Spherical albedo | 560 |
| recompression index | 504, 577 | Spinel | 137, 143–147, 173–175 |
| Soil diffusivity | 517 | chemical composition | 143, 173 |
| Soil permeability | 517 | chromian ulvospinel | 145 |
| Soil porosity | 481–483, 492, 496 | chromite | 143 |
| Soil shear strength | 506–517, 578–580, 589–594 | compositions in highland rocks | 147 |
| Apollo Self-Recording Penetrometer (SRP) | 508, 512–516, 591 | crystal structure | 143 |
| cohesion | 506 | hercynite | 145 |
| cone penetrometer data | 510–516, 578 | pleonaste | 145 |
| direct shear tests | 579 | spinel (<i>sensu strictu</i>) | 145 |
| field measurement | 506 | stability relations | 147 |
| friction angle | 506 | subsolidus reduction | 147 |
| laboratory measurements | 514 | titanian chromite | 145 |
| Soils and regolith breccias | 352–354, 361 | ulvöspinel | 143 |
| chemical data | 449–474 | Spook Crater | 624 |
| Solar cosmic rays (SCR) | 47–52, 54, 310, 315–317 | Spot Crater | 624 |
| anisotropy | 49 | Spur Crater | 351, 621, 622 |
| composition | 49 | Sputtering | 54 |
| penetration | 54 | Static electricity hazards | 536 |
| protons | 50, 51 | Steno-Apollo Crater | 627 |
| secondary radiation | 54 | Stishovite | 132 |
| travel times | 49 | Stone Mountain | 32, 351, 514, 624, 625 |
| Solar cycle | 49, 50, 52, 56 | Stubby Crater | 624 |
| Solar flares (see Solar cosmic rays) | | Sulfide minerals | 150, 151, 179 |
| Solar history | 354–356 | chalcopyrite | 151 |
| Solar maximum | 49 | chemical composition | 179 |
| Solar nebula | 361 | cubanite | 151 |
| Solar protons | 51 | mackinawite | 151 |
| Solar radiation (history of measurement) | 47, 52 | pentlandite | 151 |
| Solar wind | 47, 48, 54, 310, 315, 436, 440, 552 | sphalerite | 151 |
| composition | 48 | troilite | 150 |
| cumulative abundance | 54 | Sulfur | 422, 432–434 |
| penetration | 54 | abundance in mare basalt | 422 |
| saturation of regolith | 440 | as metamorphic fluid | 434 |
| Solar-flare history | 356 | correlation with titanium | |
| Solar-wind history | 355 | in mare basalt | 432 |
| Solar-wind-implanted elements | 436–448 | in pyroclastic deposits | 434 |
| and soil maturity | 315, 319, 337–342 | isotopic fractionation | 433 |
| as resources | 448, 647 | Sulpicius Gallus | 598 |
| Solid solutions | 121 | Sunspots | 49, 50 |
| South-Apollo Crater | 618 | Surface area (Moon) | 28 |
| South Massif (Apollo 17 site) | 34, 348, 627, 628 | Surface temperatures | 28, 34, 36, 566 |
| South Ray Crater | 32, 249, 256, 257, 624 | Surveyor | 5, 483 |
| Space Exploration Initiative | 633 | Surveyor 3 | 5, 34, 610 |
| Spacesuits | 27, 28 | Surveyor Crater | 31, 615, 616 |
| Spallation | 53 | Synodic month | 57 |
| Specific circularity | 569 | Taenite | 151, 399 |
| Specific gravity | 481, 482 | Taurus Mountains | 100, 626 |
| Specific surface area (SSA) | 480 | Taurus-Littrow Valley | 33, 37, 41, 627, 631 |
| | | Taylor Crater | 623 |
| | | Tectonic activity | 107–110 |
| | | compression | 110 |

- extension 109
- Tektites 79
- Telescopic data (See Observation of the Moon from Earth) 596, 597
 - resolution 596
 - wavelengths 596
- Temperature (lunar surface) 28, 34, 36, 566
- Temperature profiles (across craters) 565
- Terminal cataclysm 120, 212
- Terrain 30–34
 - ejecta ridges 31
 - highland 32
 - mare 31
 - mare-highland boundaries 32
- Tetrateaenite 151, 399
- Textures of mare basalts 195–201
 - intergranular 195
 - intersertal 195
 - ophitic 195
 - pilotaxitic 201
 - porphyritic 195
 - radiate 198
 - trachytic 201
 - vitrophyric 195
- Theophilus Crater 625
 - ejecta at Apollo 16 625
- Thermal conductivity (regolith) 37, 38
- Thermal infrared astronomy 566
- Thermal insulation (regolith) 38
- Thermal solifluction 493
- Thermoluminescence 54
- Thorium 603
 - mapping from orbit 603, Plate 10.1
- Thrust faults 111, 113
- Tidal forces 108
- Tides 27, 109
- Titanium 603
 - mapping from orbit 603, Plate 10.3
 - valence states 126, 148
- Tortilla Flat 627
- Track density 54, 316, 339
- Track maturity 339
- Track maturity index 315–317, 319, 337–342
- Trafficability 522–530
 - parameters 526
- Tranquillityite 133, 170
 - chemical composition 133, 170
 - crystal structure 133
- Trap Crater 624
- Trident Crater 627
- Tridymite 132
- Triple Craters 615
- Triplet Craters 618
- Troctolite 185, 365, 368, 369, 370, 409, 453
- Troilite 150, 179, 398, 432–434
 - chemical composition 150, 179
- Tsunami hypothesis (basin formation) 68
- Tungsten 413
- Tycho Crater 39, 596, 606, 628, 631, 638
 - age 631
 - impact effects at Apollo 17 628
- Unanswered questions 650–654
- Unconformities (stratigraphic) 88
- Uranium-thorium correlation 431
- Vallis (definition) 60
- Vallis Schröter 60
- Van de Graaf Crater 605
- Van Serg Crater 627
- Vapor-mobilized elements 205, 414–436
 - correlation with each other 426
 - correlation with maturity 421
 - correlations with rubidium and cesium 423
 - depletion in monomict rocks 415
 - indigenous concentrations 422
 - in pyroclastic deposits 205, 427
 - in vesicles 428
 - leaching 428
 - minimal solar-wind contribution 422
 - surface correlation on pyroclastic fragments 268, 303, 428
 - thermal mobilization 430
 - vapor-phase transport 424
 - whole-Moon composition 424
- Very-high-alumina (VHA) melt 247, 250, 625
- Very-high-K (VHK) basalt 135, 186, 190
- Very-low-Ti (VLT) basalt 186, 192, 198
- Vesicles 105, 428
- Victory Crater 627
- Viscosity (of magmas) 95, 99, 193
- Visibility (astronauts) 29
- Void ratios (of soil) 481–483, 496
 - minimum and maximum 496
- Volatility 406, 410, 413, 415, 422, 431
 - antimony 413
 - germanium 410
 - gold 406
 - lead 431
 - rubidium, cesium, sodium, potassium 422
 - sodium 415
 - vapor-mobilized elements 415
- Volcanism 94, 95, 100, 103, 105, 184, 186, 208, 209
- Volcanic glasses 186, 303
- Walking (astronauts) 28
- Waste heat 38
- Water 39, 40, 56, 150, 406, 634

Weightlessness		Yamato 791197	9, 394, 395, 397
(physiological problems)	637	Yamato 793274	9
Weird Crater	618	Yamato 82192	9
Weird Rock	618	Yamato 82193	9
Wessex Cleft	627	Young, John W.	30
West Crater	613		
Whitlockite	154, 181, 372, 384, 391, 398,	Zhamanshin impact	
	434	structure	79
chemical composition	181	Zircon	134, 372, 384
Wollastonite	125	chemical composition	134, 169
Wreck Crater	624	structure	134
Wrinkle ridges	108	Zirconolite	137, 150
Wüstite	138	Zond	5, 596

L · U · N · A · R

s o u r c e b o o k

a user's guide to the moon

The *Lunar Sourcebook*, a concisely presented collection of data gathered during the American and Soviet missions, is an accessible and complete one-volume reference encyclopedia of current scientific and technical information about the Moon. This book provides a thorough introduction to lunar studies and a summary of current information about the nature of the lunar environment. It explores the formation and evolution of the Moon's surface, the chemical and mineralogical nature of lunar rocks and soils, and the current state of scientific knowledge about the nature, origin, and history of the Moon.

The book is written and edited by scientists active in every field of lunar research, all of whom are veterans of the Apollo program. The contributors are from universities, national laboratories, industry, and NASA.

Engineers, mission planners, planetary scientists, educators, and students interested in scientific study and exploration of the Moon will find this book to be a unique and essential reference. Cover design by Christy Owens.

Cambridge University Press

CAMBRIDGE
UNIVERSITY PRESS

ISBN 0-521-33444-6



9 780521 334440